





SPC Eco - Premium Oak 1220X183MM

Film Code	2837
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.01
PIECES PER CARTON	9PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





SPC Eco - Cappuccino

1220X183MM

Film Code	2869
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.01
PIECES PER CARTON	9PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





SPC Eco - Oak

1220X183MM

Film Code	2836
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.01
PIECES PER CARTON	9PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





SPC Eco - Forest 1220X183MM

Film Code	2835
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.01
PIECES PER CARTON	9PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





SPC Eco - Silver 1220X183MM

Film Code	2864
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.01
PIECES PER CARTON	9PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS






SPC Eco - Mahogany

1220X183MM

Film Code	2865
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.01
PIECES PER CARTON	9PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





SPC Eco - American Walnut

1220X183MM

Film Code	8661
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.01
PIECES PER CARTON	9PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





SPC Eco - Oak History 1220X183MM

Film Code	XJ83025-9
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.01
PIECES PER CARTON	9PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS



SPC Eco - Espresso Noir

1220X183MM

Film Code	29043-10
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.01
PIECES PER CARTON	9PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





SPC Eco - Light Oak 1220X183MM

Film Code	8006-08
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.01
PIECES PER CARTON	9PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS



SPC Eco - Cherry 1220X183MM

Film Code	2861
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.01
PIECES PER CARTON	9PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS






SPC Prime - Premium Oak

1524X228MM

Film Code	2837
TOTAL THICKNESS	6.5 MM
CORE	5.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.085
PIECES PER CARTON	6PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS






SPC Prime - Cappuccino 1524X228MM

Film Code	2869
TOTAL THICKNESS	6.5 MM
CORE	5.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.085
PIECES PER CARTON	6PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





SPC Prime - American Walnut

1524X228MM

Film Code	8661
TOTAL THICKNESS	6.5 MM
CORE	5.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.085
PIECES PER CARTON	6PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





SPC Prime - Oak History 1524X228MM

Film Code	XJ83025-9
TOTAL THICKNESS	6.5 MM
CORE	5.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.085
PIECES PER CARTON	6PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





SPC Prime - Espresso Noir 1524X228MM

Film Code	29043-10
TOTAL THICKNESS	6.5 MM
CORE	5.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.085
PIECES PER CARTON	6PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





SPC Herringbone - Premium Oak 640X128MM

Film Code	2837
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	0.819
PIECES PER CARTON	10PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





SPC Herringbone - Cappuccino

640X128MM

Film Code	2869
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	0.819
PIECES PER CARTON	10PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





SPC Herringbone - Oak 640X128MM

Film Code	2836
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	0.819
PIECES PER CARTON	10PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





SPC Herringbone - Forest 640X128MM

Film Code	2835
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	0.819
PIECES PER CARTON	10PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





SPC Herringbone - Silver 640X128MM

Film Code	2864
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	0.819
PIECES PER CARTON	10PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS



SPC Herringbone - Mahogany 640X128MM

Film Code	2865
TOTAL THICKNESS	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	0.819
PIECES PER CARTON	10PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS



LVT Comfort - Premium Oak

1220X180MM

Film Code	2837
TOTAL THICKNESS	5 MM
CORE	5.0MM EXTRUDED VINYL CORE
PRE ATTACHED IXPE UNDERLAY	NONE
WEAR LAYER	0.55MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.196
PIECES PER CARTON	10PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





LVT Comfort - Cappuccino

1220X180MM

Film Code	2869
TOTAL THICKNESS	5 MM
CORE	5.0MM EXTRUDED VINYL CORE
PRE ATTACHED IXPE UNDERLAY	NONE
WEAR LAYER	0.55MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.196
PIECES PER CARTON	10PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS






LVT Comfort - Shadow Oak 1220X180MM

Film Code	8001-45
TOTAL THICKNESS	5 MM
CORE	5.0MM EXTRUDED VINYL CORE
PRE ATTACHED IXPE UNDERLAY	NONE
WEAR LAYER	0.55MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.196
PIECES PER CARTON	10PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





LVT Comfort - American Walnut

1220X180MM

Film Code	8661
TOTAL THICKNESS	5 MM
CORE	5.0MM EXTRUDED VINYL CORE
PRE ATTACHED IXPE UNDERLAY	NONE
WEAR LAYER	0.55MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.196
PIECES PER CARTON	10PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS



LVT Comfort - Forest

1220X180MM

Film Code	2835
TOTAL THICKNESS	5 MM
CORE	5.0MM EXTRUDED VINYL CORE
PRE ATTACHED IXPE UNDERLAY	NONE
WEAR LAYER	0.55MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.196
PIECES PER CARTON	10PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





LVT Comfort - Silver 1220X180MM

Film Code	2864
TOTAL THICKNESS	5 MM
CORE	5.0MM EXTRUDED VINYL CORE
PRE ATTACHED IXPE UNDERLAY	NONE
WEAR LAYER	0.55MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.196
PIECES PER CARTON	10PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS



LVT Comfort - Mahogany 1220X180MM

Film Code	2865
TOTAL THICKNESS	5 MM
CORE	5.0MM EXTRUDED VINYL CORE
PRE ATTACHED IXPE UNDERLAY	NONE
WEAR LAYER	0.55MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.196
PIECES PER CARTON	10PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS



LVT Comfort - Twine 1220X180MM

Film Code	7352-6
TOTAL THICKNESS	5 MM
CORE	5.0MM EXTRUDED VINYL CORE
PRE ATTACHED IXPE UNDERLAY	NONE
WEAR LAYER	0.55MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.196
PIECES PER CARTON	10PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





LVT Luxury - Premium Oak

1220X183MM

Film Code	2837
TOTAL THICKNESS	6.5 MM
CORE	5.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.085
PIECES PER CARTON	6PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS






LVT Luxury - Cappuccino 1220X183MM

Film Code	2869
TOTAL THICKNESS	6.5 MM
CORE	5.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.085
PIECES PER CARTON	6PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





LVT Luxury - American Walnut 1220X183MM

Film Code	8661
TOTAL THICKNESS	6.5 MM
CORE	5.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.085
PIECES PER CARTON	6PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS




LVT Luxury - Twine

1220X183MM

Film Code	7352-6
TOTAL THICKNESS	6.5 MM
CORE	5.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.085
PIECES PER CARTON	6PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





LVT Luxury - Silver 1220X183MM

Film Code	2864
TOTAL THICKNESS	6.5 MM
CORE	5.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM
WEAR LAYER	0.5MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.085
PIECES PER CARTON	6PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





LVT Herringbone - Premium Oak 600X150MM

Film Code	2837
TOTAL THICKNESS	5 MM
CORE	5.0MM EXTRUDED VINYL CORE
PRE ATTACHED IXPE UNDERLAY	NONE
WEAR LAYER	0.3MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	1.152
PIECES PER CARTON	12PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





LVT Herringbone - Light Oak 600X150MM

Film Code	8002-12
TOTAL THICKNESS	5 MM
CORE	5.0MM EXTRUDED VINYL CORE
PRE ATTACHED IXPE UNDERLAY	NONE
WEAR LAYER	0.3MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	1.152
PIECES PER CARTON	12PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





LVT Herringbone - Oak

600X150MM

Film Code	2836
TOTAL THICKNESS	5 MM
CORE	5.0MM EXTRUDED VINYL CORE
PRE ATTACHED IXPE UNDERLAY	NONE
WEAR LAYER	0.3MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	1.152
PIECES PER CARTON	12PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS





LVT Herringbone - Rich Oak Mix


600X150MM

Film Code	8017-1
TOTAL THICKNESS	5 MM
CORE	5.0MM EXTRUDED VINYL CORE
PRE ATTACHED IXPE UNDERLAY	NONE
WEAR LAYER	0.3MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	1.152
PIECES PER CARTON	12PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS



LVT Herringbone - Mahogany 600X150MM

Film Code	2865
TOTAL THICKNESS	5 MM
CORE	5.0MM EXTRUDED VINYL CORE
PRE ATTACHED IXPE UNDERLAY	NONE
WEAR LAYER	0.3MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	1.152
PIECES PER CARTON	12PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS



LVT Herringbone - Silver 600X150MM

Film Code	2864
TOTAL THICKNESS	5 MM
CORE	5.0MM EXTRUDED VINYL CORE
PRE ATTACHED IXPE UNDERLAY	NONE
WEAR LAYER	0.3MM
FILM	3 LAYER FILM SYSTEM
MEDICAL GRADE ANTI BACTERIAL	ANTI BACTERIAL NANO FILM
COATING	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE
SQM PER CARTON	1.152
PIECES PER CARTON	12PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS



RICHMOND SPC & LVT ACCESSORIES



We have matching SPC & LVT flooring accessories for all your finishing flooring needs. All our SPC & LVT flooring accessories are fully water proof, termite free and PVC coated for outstanding durability.



SPC SKIRTING
AVAILABLE IN ALL FLOORING COLORS
SIZE : 240CM X 10CM



STAIR NOSE
AVAILABLE IN ALL FLOORING COLORS
SIZE : 240CM X 10CM




T PROFILE
AVAILABLE IN ALL FLOORING COLORS
SIZE : 240CM X 10CM



REDUCER
AVAILABLE IN ALL FLOORING COLORS
SIZE : 240CM X 10CM



QUARTER ROUND
AVAILABLE IN ALL FLOORING COLORS
SIZE : 240CM X 10CM



CAN GO OVER
YOUR EXSISTING
SKIRTING


CUSTOM L SHAPE SKIRTING
AVAILABLE IN WHITE OR CUSTOM PAINT



RICHMOND SPC & LVT GRAPHIC VISUALIZATION



SPC



Ceramic Bead Finish UV Coating


Wear Layer at

High Definition Decor Film

Solid Polymer Virgin Stone

IXPE Padding

LVT



PU Coating Treatment

Clear Design Protection Layer

Decorative Printed Film Layer

Upper Middle Layer

Middle Layer

Glass Fiber Reinforcement Layer

Upper Base Layer

Lower Base Layer



BOARD SPECIFICATION FOR SPC

DESCRIPTION	STANDARD	REQUIREMENTS	RESULTS
CLASSIFICATION(LEVEL OF USE)	EN 16511	COMMERCIAL VERY HEAVY(CLASS 34)	SURPASSES REQUIREMENTS
WEAR RESISTANCE IP, METHOD A	EN 13329, ANNEX E	≤4000 CYCLES	SURPASSES REQUIREMENTS
IMPACT RESISTANCE (BIG BALL)	EN 13329+ AL ANNEX L	NO CRACKS	SURPASSES REQUIREMENTS
MICRO-SCRATCH RESISTANCE (CLASS)	EN 16094,METHOD B	MSR-A2/MSR-B1	PASSES / SURPASSES
CASTOR CHAIR RESISTANCE	EN 425	AFTER 25000 CYCLES: NO DISTURBANCE TO PLANK	PASSES REQUIREMENTS
EFFECT OF FURNITURE LEG	EN 424	NO VISIBLE DAMAGE	PASSES REQUIREMENTS
RESIDUAL INDENTATION	EN ISO 243431	≤ 0.15MM	SURPASSES REQUIREMENTS
RESISTANCE TO STAINING	EN 438-2	GROUPS 1,283 GRADE 5	PASSES REQUIREMENTS
LOCKING STRENGTH	ISO 24334	"LONG SIDE ≥ 2.0KN/M	PASSES REQUIREMENTS
SHORT SIDE ≥3.5KN/M"	-	-	SURPASSES REQUIREMENTS
DIMENSIONAL STABILITY DUE TO	EN ISO 23999	≤0.25%	SURPASSES REQUIREMENTS
VOC FREE	EN 71-3	≥ 0.1MG	SURPASSES REQUIREMENTS
RESISTANT TO CHEMICALS	EN 423	STD TEST	CLASS ZERO
FLEXIBILITY 10MM	EN 435	TORQUE BEND	NO DAMAGE
ANTI FLAMING	CNS 8907	STD TEST	PASS
RESISTANCE TO FIRE	NFPA	STD TEST	CLASS A
PEELING STRENGTH OF LAYERS	EN 431		PASS
SLIP RESISTANCE	R9		PASS

BOARD SPECIFICATION FOR LVT

DESCRIPTION	STANDARD	REQUIREMENTS
CHEMICAL RESISTANCE	EN423	HIGH RESISTANCE
RESIDUAL INDENTATION	EN433	≤0.08MM
DIMENSIONAL STABILITY	EN434	≤0.08%
COLOUR FASTNESS TO LIGHT	EN20105-B02	≥6
ABRASION RESISTANCE	DN51130	R11
WATER RESISTANCE	EN660-2	GROUP T
ANTIMICROBIAL ACTIVITY	ASTING 21-96	CLASS 0
FIRE RATING	EN ISO 9239-1	B-S1
WARRANTY FOR DOMESTIC USE		15 YEARS
WARRANTY FOR COMMERCIAL USE		5 YEARS
IMPACT SOUND INSULATION	ISO 717-2	5 DB



RICHMOND TECHNICAL DATA

ITEM	RICHMOND ECO SPC	RICHMOND PRIME SPC	RICHMOND SPC HERRINGBONE
TOTAL THICKNESS	5.5 MM	6.5 MM	5.5 MM
CORE	4.0MM VIRGIN WHITE STONE	5.0MM VIRGIN WHITE STONE	4.0MM VIRGIN WHITE STONE
PRE ATTACHED IXPE UNDERLAY	1.5 MM	1.5 MM	1.5 MM
PLANK SIZE	1220X183MM	1524X228MM	640X128MM
WEAR LAYER	0.5MM	0.5MM	0.5MM
FILM	3 LAYER FILM SYSTEM	3 LAYER FILM SYSTEM	3 LAYER FILM SYSTEM
COATING	PU, UV PROTECTION FILM	PU, UV PROTECTION FILM	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK	UNILIN CLICK LOCK	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION	MATT WITH UV PROTECTION	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE	REAL WOOD 3D TEXTURE	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.01	2.085	0.819
PIECES PER CARTON	9PCS	6PCS	10PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS	15 YEARS	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS	5 YEARS	5 YEARS

ITEM	RICHMOND LVT COMFORT	RICHMOND LVT LUXURY	RICHMOND LVT HERRINGBONE
TOTAL THICKNESS	5 MM	5 MM	5 MM
CORE	5.0MM EXTRUDED VINYL CORE	5.0MM EXTRUDED VINYL CORE	5.0MM EXTRUDED VINYL CORE
PRE ATTACHED IXPE UNDERLAY	NONE	NONE	NONE
PLANK SIZE	1220X180MM	1220X183MM	600X150MM
WEAR LAYER	0.55MM	0.3MM	0.3MM
FILM	3 LAYER FILM SYSTEM	3 LAYER FILM SYSTEM	3 LAYER FILM SYSTEM
COATING	PU, UV PROTECTION FILM	PU, UV PROTECTION FILM	PU, UV PROTECTION FILM
EDGE DETAILS	UNILIN CLICK LOCK	UNILIN CLICK LOCK	UNILIN CLICK LOCK
FINISH	MATT WITH UV PROTECTION	MATT WITH UV PROTECTION	MATT WITH UV PROTECTION
EMBOSSING	REAL WOOD 3D TEXTURE	REAL WOOD 3D TEXTURE	REAL WOOD 3D TEXTURE
SQM PER CARTON	2.196	1.152	1.152
PIECES PER CARTON	10PCS	12PCS	12PCS
RESIDENTIAL LIMITED WARRANTY	15 YEARS	15 YEARS	15 YEARS
COMMERCIAL LIMITED WARRANTY	5 YEARS	5 YEARS	5 YEARS